

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) **Visit us at:** www.honda2wheelersindia.com **Customer Care:** customercare@honda2wheelersindia.com

Dealer Stamp:

सच कर देंगे सपने



The All New

A QUIET REVOLUTION







The All New



LET THE REVOLUTION BEGIN, QUIETLY.

Presenting the new Activa 125 BS-VI with Honda's globally acclaimed **Enhanced Smart Power (eSP)** technology which combines high power and high fuel efficiency with a quiet start and a smooth eco-friendly engine. Full metal body loaded with many first in segment features make it a quiet revolution.



FRICTION REDUCTION AND IMPROVED COMBUSTION



[/] eSP technology maximizes the efficient / combustion and minimizes friction to optimize the energy output. eSP technology is / integrated with Honda's unique ACG starter to start the engine jolt free with a refined sound, and acts as a basis for our advanced / Idling Stop System.

[/] The new Tumble flow technology increases the turbulence of Air-Fuel mixture, which helps in achieving improved combustion and fuel efficiency. The piston component of new Activa 125 BS-VI is equipped with jet, which helps to achieve better efficiency by maintaining the temperature in all riding conditions.




PROGRAMMED FUEL INJECTION



¹ Sensor-based advanced PGM-FI system constantly injects optimum fuel resulting in efficient combustion which aides in ¹ consistent power output & higher mileage.


The new Activa 125 BS-VI is powered by the / globally acclaimed eSP technology which ¹ helps in silent start. Its **ACG Starter Motor** removes gear meshing, gear engagement noise and reduces maintenance.

TECHNOLOGY





TECHNOLOGY







TELESCOPIC FRONT SUSPENSION



Customize vour ride with 3-step rear adjustable suspension. Both front & rear suspension offer utmost comfort and peace of mind to make your ride the best part of your day.

RELIABILITY & COMFORT



New Activa 125 BS-VI is available in 3 different variants for 3 different needs

| FEATURE | DELUXE | ALLOY | STANDARD |
|--|-------------|-------------|--------------|
| Silent Start | Yes | Yes | Yes |
| PGM-FI | Yes | Yes | Yes |
| Headlamp | LED | LED | Halogen Bulb |
| Meter Console | Digi-Analog | Digi-Analog | Analog |
| Double Lid External Fuel Fill | Yes | Yes | Yes |
| Intelligent Display (Real time mileage, distance to empty & average mileage)* | | Yes | - |
| Side Stand Engine Cut Off | Yes | Yes | Optional |
| Engine Stop Switch | - | Yes | Yes |
| Idling Stop System | Yes | - | - |
| Wheels | Alloy | Alloy | Sheet Metal |
| Front Brakes | Disc | Drum | Drum |



Rebel Red Metallic Pearl Precious White Heavy Grey Metallic Midnight Blue Metallic

• *The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • *Distance to empty, real time and average mileage readings may vary as per variant and riding conditions • Activa 125 meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • The technical specifications mentioned are for Deluxe variant • ^Mileage has increased by 13% for Activa 125 BS-VI Deluxe variant as compared to the Activa 125 BS-IV Deluxe variant • All features and colours may not be part of all variants • **Conditions apply

Technical Specifications

| BODY DIMENSIONS | | ENGINE | |
|---------------------------|---------------|--------------------|-------------------------------|
| Length | 1850 mm | Туре | Fan Cooled, 4 Stroke, SI Engi |
| Width | 707 mm | Displacement | 124 cc |
| Height | 1170 mm | Max Net Power | 6.10 kW @ 6500 rpm |
| Wheel Base | 1260 mm | Max Net Torque | 10.3 Nm @ 5000 rpm |
| Ground Clearance | 169 mm | Bore | 50.0 mm |
| Seat Length | 712 mm | Stroke | 63.1 mm |
| Kerb Weight | 111 kg | Fuel System | PGM-Fi |
| Fuel Tank Capacity | 5.3 L | Compression Ratio | 10.0±0.2 |
| TRANSMISSION | | Air Filter Type | Viscous Paper Filter |
| Clutch Type | Automatic | Starting Method | Kick/Self |
| TYRES & BRAKES | | FRAME & SUSPENSION | |
| Tyre Size (Front) | 90/90-12 54J | Frame Type | Under Bone |
| Tyre Size (Rear) | 90/100-10 53J | Front | Telescopic |
| Tyre Type (Front) | Tubeless | Rear | 3-Step Adjustable |
| Tyre Type (Rear) | Tubeless | | Spring Loaded Hydraulic |
| Brake Type & Size (Front) | Disc 190 mm | ELECTRICALS | |
| Brake Type & Size (Rear) | Drum 130 mm | Battery | 5.0 Ah |
| | | Headlamp | LED |







SPECIFICATIONS

The All New

